

	Hits	Search Text	DBs
1	154375	(insert\$5 or add\$5) with (row\$1 or record\$1 or tuple\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	246161	(insert\$5 or add\$5) with (row\$1 or record\$1 or tuple\$1 or file\$1 or document\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	155473	l2 and @ad < "20010104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	2727	l3 and ((primary or unique) near4 key\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	2345	l4 and (delet\$5 or remov\$5 or discard\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	1366	l4 and ((delet\$5 or remov\$5 or discard\$5) with (((primary or unique) near4 key\$1) or (row\$1 or record\$1 or tuple\$1 or file\$1 or document\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	6	16 and (value\$1 with (row\$1 or record\$1 or tuple\$1 or file\$1 or document\$1) with (last near5 (deleted or removed or discarded)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	372	((insert\$5 or add\$5) with (row\$1 or record\$1 or tuple\$1) with ((old or deleted or removed or discarded) with (value\$1 or attribute\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	221	18 and @ad < "20010104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	62	19 and ((primary or unique) near4 key\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	57	110 not 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	55	111 and database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	18	((insert\$5 or add\$5) with (row\$1 or record\$1 or tuple\$1) with (last or (most adj recent)) with ((old or deleted or removed or discarded) with (value\$1 or attribute\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	10	l13 and @ad < "20010104"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	3	l14 and ((primary or unique) near4 key\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	7	l14 not l15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB